

ACNELITE F2

CONDICIONES: Acné, Infecciones de la piel, Dermatitis

ESPECIES

- *Desmodium molliculum*,
- *Phyllanthus niruri*
- *Plantago major*

UBICACIÓN En la costa, sierra y selva del Perú

DESCRIPCION

Desmodium molliculum: Hierba silvestre de tipo rastrera que crece entre las piedras en campo abierto, tiene hojas pequeñas redondeadas de color verde, algo rugosas, con flores moradas y lilas muy pequeñas, crece entre los 1500 y 3500 m.s.n.m.

Phyllanthus niruri: Herbácea de unos 60cms de alto. Anual, hojas alternas, pálidas. Con apariencia compuesta; floración pequeña en la base de las hojas

Plantago major: Herbácea, pequeña de hasta 40 cms de altura, hojas ovaladas lanceoladas, verde claro, floración en espigas, flores muy pequeñas, verde amarillento blanquecino, semillas pequeñas redondeadas.



USOS TRADICIONALES DE LOS INGREDIENTES

Desmodium molliculum: Depurativa, Diurética, Protector del hígado

Phyllanthus niruri: Depurativa, Inflamación de la piel, Bactericida, Contra litiasis renal, Diurética, Protectora hepática

Plantago major: Anti inflamatorio, Anti infeccioso de la piel, Astringente, Dermatitis, Antiséptico dérmico, Contra los abscesos

ESTUDIOS MODERNOS DE LOS INGREDIENTES

Desmodium molliculum: Anti microbiana Depurativa, Anti Inflamatoria, Anti alérgica, Protectora del hígado

Phyllanthus niruri: Antibacterial, Estrés oxidativo, Protectora celular, Antitumoral, Anti inflamatoria, Analgésica, Protectora hepática, Anti viral, Anti colesterol

Plantago major: Antiinflamatorio, Potencia el sistema inmunológico, Antibacterial, Hepatoprotector

FUENTES

Desmodium molliculum:

<http://www.botanical-online.com/col/manapuya26.htm>

J Ethnopharmacol. 2011 Nov 18;138(2):314-32. Epub 2011 Oct 17.

The genus *Desmodium* (Fabaceae)-traditional uses in Chinese medicine, phytochemistry and pharmacology.

Ma X, Zheng C, Hu C, Rahman K, Qin L.

Department of Pharmacognosy, School of Pharmacy, Second Military Medical University, 325 Guohe Road, Shanghai 200433, China.

<http://revistas.concytec.gob.pe/pdf/arnal/v15n1/a11v15n1.pdf>

<http://lib-ojs3.lib.sfu.ca:8114/index.php/era/article/view/404/307>

Phyllanthus niruri:

Phytother Res. 2011 Oct 28. doi: 10.1002/ptr.3646. [Epub ahead of print]

Antimicrobial Activity of an Amazon Medicinal Plant (*Chancapiedra*) (*Phyllanthus niruri* L.) against *Helicobacter pylori* and Lactic Acid Bacteria.

Ranilla LG, Apostolidis E, Shetty K.

Escuela de Alimentos, Facultad de Recursos Naturales, Pontificia Universidad Católica de Valparaíso, Avenida Waddington 716, Playa Ancha, Valparaíso, Chile.

Benef Microbes. 2011 Sep;2(3):235-43.

Antibacterial activity of selected medicinal plants against multiple antibiotic resistant uropathogens: a study from Kolli Hills, Tamil Nadu, India.

Narayanan AS, Raja SS, Ponnurugan K, Kandekar SC, Natarajaseenivasan K, Maripandi A, Mandeel QA.

PG and Research Department of Microbiology, K.S. Rangasamy College of Arts and Science, KSR Kalvi Nagar, Thokkavadi Post, Tiruchengode 637 215, Tamil Nadu, India.

J Environ Pathol Toxicol Oncol. 2011;30(1):43-53.

Modulatory influence of *Phyllanthus niruri* on oxidative stress, antioxidant defense and chemically induced skin tumors.

Sharma P, Parmar J, Verma P, Goyal PK.

JRF, Radiation & Cancer Biology Laboratory, Department of Zoology, University of Rajasthan, Jaipur, India.

J Ethnopharmacol. 2002 Sep;82(1):19-22.

Lipid lowering activity of *Phyllanthus niruri* in hyperlipemic rats.

Khanna AK, Rizvi F, Chander R.

Division of Biochemistry, Central Drug Research Institute, Lucknow 226001, India.

Plantago major:

Asian Pac J Cancer Prev. 2011;12(2):531-5.

Plantago major protective effects on antioxidant status after administration of 7,12-Dimethylbenz(a)anthracene in rats.

Oto G, Ekin S, Ozdemir H, Demir H, Yasar S, Levent A, Berber I, Kaki B.

Department of Pharmacology, Faculty of Medical, Yuzuncu Yil University, Van, Turkey

Indian J Pharmacol. 2009 Jun;41(3):120-4.

Hepatoprotective and anti-inflammatory activities of *Plantago major* L.

Türel I, Ozbek H, Erten R, Oner AC, Cengiz N, Yilmaz O.

Departments of Pharmacology and Toxicology, Yüzüncü Yil University, 65300 Van-Turkey.

Phytother Res. 2000 Dec;14(8):617-22.

Immunoenhancing properties of *Plantago major* leaf extract.

Gomez-Flores R, Calderon CL, Scheibel LW, Tamez-Guerra P, Rodriguez-Padilla C, Tamez-Guerra R, Weber RJ.

Department of Biomedical and Therapeutic Sciences, Section of Medical Sciences, University of Illinois College of Medicine, Peoria, IL 61656-1649, USA.

Scand J Immunol. 2000 Oct;52(4):348-55.

Protective effect of Plantago major L. Pectin polysaccharide against systemic Streptococcus pneumoniae infection in mice.

Hetland G, Samuelsen AB, Løvik M, Paulsen BS, Aaberge IS, Groeng EC, Michaelsen TE.

Department of Environmental Medicine, National Institute of Public Health, Oslo, Norway

J Ethnopharmacol. 2000 Jul;71(1-2):1-21.

The traditional uses, chemical constituents and biological activities of Plantago major L.A review.

Samuelsen AB.

Department of Pharmacognosy, School of Pharmacy, University of Oslo, P.O. Box 1068, Blindern, N-0316, Oslo, Norway

http://sisbib.unmsm.edu.pe/bvrevistas/odontologia/2010_n2/pdf/a05v13n2.pdf

All information is for informational purposes only, and not intended to diagnose, treat, cure, mitigate, or prevent any disease. No statements have been evaluated by the FDA. We always suggest talking to your physician concerning any questions you may have about supplement/drug interactions.

Extended Disclaimer [Click Here](#)