

CURCUMINLite

USOS DE CURCUMINLite

CURCUMA	JENGIBRE
Artritis	Reumatismo
Leucemia mieloide aguda	Osteoartritis - Artrosis
Cáncer	Dolor
Endometriosis	Inflamación
Anti Edad	Antioxidante
Regenerativa neural	Cataratas Diabetica
Anti inflamatoria	Alta presión arterial
Dolor	Prevención del Cáncer
Obesidad	Obesidad
ColonIrritable	Mareos
Protector Hígado	
Trigliceridos	
Colesterol	
Diabetes 2	
Síndrome Metabólico	
Hipertensión	
Aterosclerosis	
Antioxidante	
Fotoprotector	

ESPECIES: *Curcuma longa*

UBICACIÓN: Originales de la India y China, cultivadas en muchos países como en el Perú.

DESCRIPCIÓN: Rizoma de Cúrcuma



Rizoma de Jengibre

FUENTES

308 Ars Pharmaceutica,

Efectos farmacológicos y nutricionales de los extractos de *Curcuma longa* L. y de los cucuminoides 41:3; 307-321, 2000 MESA, M. D.; RAMÍREZ-TORTOSA, M. C.; AGUILERA, C. M.; RAMÍREZ-BOSCÁ, A. Y GIL, A.

Phytother Res. 2011 Dec 20. doi: 10.1002/ptr.3694. [Epub ahead of print]

Curcumin Attenuates TNF- α -induced Expression of Intercellular Adhesion Molecule-1, Vascular Cell Adhesion Molecule-1 and Proinflammatory Cytokines in Human Endometrial Stromal Cells.

Kim KH, Lee EN, Park JK, Lee JR, Kim JH, Choi HJ, Kim BS, Lee HW, Lee KS, Yoon S.

Department of Obstetrics and Gynecology, Pusan National University School of Medicine, Busan, 602-739, Korea; Medical Research Institute, Pusan National University Hospital, Busan, 602-739, Korea.

Cell Physiol Biochem. 2011;28(6):1169-80. Epub 2011 Dec 16.
Curcumin Blocks Kv11.1 (erg) Potassium Current and Slows Proliferation in the Infant Acute Monocytic Leukemia Cell line THP-1.
Banderali U, Belke D, Singh A, Jayanthan A, Giles WR, Narendran A.
Faculty of Kinesiology, University of Calgary, Calgary, AB.

Toxicology.2011 Dec 9. [Epub ahead of print]
Curcumin affects cell survival and cell volume regulation in human renal and intestinal cells.
Kössler S, Nofziger C, Jakab M, Dossena S, Paulmichl M.
Institute of Pharmacology and Toxicology, Paracelsus Medical University, Salzburg, Austria.

J Cosmet Dermatol. 2011 Dec;10(4):260-5. doi: 10.1111/j.1473-2165.2011.00586.x.
Topical vesicular formulations of Curcuma longa extract on recuperating the ultraviolet radiation-damaged skin.Kaur CD, Saraf S.
University Institute of Pharmacy, Pt. Ravishankar Shukla University Raipur, Chhattisgarh, India.

Mol Nutr Food Res. 2011 Dec 7. doi: 10.1002/mnfr.201100270. [Epub ahead of print]
Turmeric (Curcuma longa) inhibits inflammatory nuclear factor (NF)- κ B and NF- κ B-regulated gene products and induces death receptors leading to suppressed proliferation, induced chemosensitization, and suppressed osteoclastogenesis.
Kim JH, Gupta SC, Park B, Yadav VR, Aggarwal BB.
Cytokine Research Laboratory, Department of Experimental Therapeutics, The University of Texas MD Anderson Cancer Center, Houston, TX, USA.

J Agric Food Chem. 2011 Dec 6. [Epub ahead of print]
Curcuminoids Promote Neurite Outgrowth in PC12 Cells through MAPK/ERK- and PKC-Dependent Pathways.
Liao KK, Wu MJ, Chen PY, Huang SW, Chiu SJ, Ho CT, Yen JH.

Acta Biochim Biophys Sin (Shanghai).2011 Nov 29. [Epub ahead of print]
Synergistic antitumor efficiency of docetaxel and curcumin against lung cancer.
Yin H, Guo R, Xu Y, Zheng Y, Hou Z, Dai X, Zhang Z, Zheng D, Xu H.
Dept. of Oncology, the Affiliated Zhongda Hospital of Southeastern University, Nanjing 210009, China.

Anticancer Agents Med Chem. 2011 Oct 25. [Epub ahead of print]
Curcumin and its Formulations: Potential Anti-Cancer Agents.
Zhu HL, Ji JL, Huang XF.

Int Immunopharmacol.2011 Oct 29. [Epub ahead of print]
Aminoguanidine and curcumin attenuated tumor necrosis factor (TNF)- α -induced oxidative stress, colitis and hepatotoxicity in mice.
Mouzaoui S, Rahim I, Djerdjouri B.

Nutr Metab (Lond). 2011 Oct 17;8:72.
Spice up the hypertension diet - curcumin and piperine prevent remodeling of aorta in experimental L-NAME induced hypertension.Hlavačková L, Janegová A, Uličná O, Janega P, Cerná A, Babál P.
Department of Pathology, Faculty of Medicine Comenius University, Sasinkova 4, 81372 Bratislava, Slovakia.

Curr Opin Clin Nutr Metab Care. 2011 Nov;14(6):588-97.
Curcuma as a functional food in the control of cancer and inflammation.
Schaffer M, Schaffer PM, Zidan J, Bar Sela G.
Institute of Oncology, Ziv Medical Center, Faculty of Medicine, Zefat, Israel. moshe.s@ziv.health.gov.il

Nat Prod Rep. 2011 Nov 15;28(12):1937-55. Epub 2011 Oct 6.
Multitargeting by curcumin as revealed by molecular interaction studies.
Gupta SC, Prasad S, Kim JH, Patchva S, Webb LJ, Priyadarsini IK, Aggarwal BB.
Cytokine Research Laboratory, Department of Experimental Therapeutics, The University of Texas MD Anderson Cancer Center, Houston, 77030, USA

Nat Prod Res. 2011 Oct 6. [Epub ahead of print]
Turmerin, the antioxidant protein from turmeric (Curcuma longa) exhibits antihyperglycaemic effects.
Lekshmi PC, Arimboor R, Raghu KG, Menon AN.

Mol Biol Rep. 2011 Sep 24. [Epub ahead of print]
Curcumin inhibits metastatic progression of breast cancer cell through suppression of urokinase-type plasminogen activator by NF-kappa B signaling pathways.
Zong H, Wang F, Fan QX, Wang LX.

Clin Ter. 2011 May-Jun;162(3):201-7.

Anti-inflammatory effect of *Curcuma longa* (turmeric) on collagen-induced arthritis: an anatomico-radiological study. Taty Anna K, Elvy Suhana MR, Das S, Faizah O, Hamzaini AH.

Departments of Anatomy, Faculty of Medicine, Universiti Kebangsaan Malaysia Medical Centre.

Adv Exp Med Biol. 2011;698:27-35.

Therapeutic Potential of Dietary Polyphenols against Brain Ageing and Neurodegenerative Disorders.

Scapagnini G, Caruso C, Calabrese V.

Department of Health Sciences, University of Molise, Campobasso, Italy

Altern Med Rev. 2011 Jun;16(2):152-6.

Curcumin for inflammatory bowel disease: a review of human studies.

Taylor RA, Leonard MC. Department of Pharmacy, Cleveland Clinic, Cleveland, OH 44195, USA

J Food Sci. 2011 Apr;76(3):H80-9. doi: 10.1111/j.1750-3841.2011.02042.x.

Attenuation of fatty liver and prevention of hypercholesterolemia by extract of *Curcuma longa* through regulating the expression of CYP7A1, LDL-receptor, HO-1, and HMG-CoA reductase.

Yiu WF, Kwan PL, Wong CY, Kam TS, Chiu SM, Chan SW, Chan R.

Department of Applied Biology and Chemical Technology, The Hong Kong Polytechnic University, Hung Hom, Kowloon, Hong Kong.

Eur J Nutr. 2011 Apr;50(3):151-61. Epub 2011 Mar 27.

New mechanisms and the anti-inflammatory role of curcumin in obesity and obesity-related metabolic diseases. Shehzad A, Ha T, Subhan F, Lee YS.

School of Life Sciences, College of Natural Sciences, Kyungpook National University, 1370 Sangeok-dong, Buk-ku, Daegu, 702-701, Korea

J Med Food. 2011 Mar;14(3):247-56.

Turmeric and laurel aqueous extracts exhibit in vitro anti-atherosclerotic activity and in vivo hypolipidemic effects in a zebrafish model.

Jin S, Hong JH, Jung SH, Cho KH.

School of Biotechnology, Yeungnam University, Gyeongsan, Republic of Korea.

Food Chem Toxicol. 2011 May;49(5):1129-40. Epub 2011 Feb 15.

The antihyperglycemic effect of curcumin in high fat diet fed rats. Role of TNF- α and free fatty acids.

El-Moselhy MA, Taye A, Sharkawi SS, El-Sisi SE, Ahmed AF.

Department of Pharmacology and Toxicology, Faculty of Pharmacy, Minia University, Minia, Egypt

Int J Oncol. 2011 Mar;38(3):603-11. doi: 10.3892/ijo.2011.905. Epub 2011 Jan 14.

Anti-proliferative potential of curcumin in androgen-dependent prostate cancer cells occurs through modulation of the Wnt signaling pathway.

Teiten MH, Gaascht F, Cronauer M, Henry E, Dicato M, Diederich M.

Laboratoire de Biologie Moléculaire et Cellulaire du Cancer, Hôpital Kirchberg, Luxembourg, Luxembourg.

Zingiber officinalis

J Altern Complement Med. 2012 Jun;18(6):583-8.

Influence of a specific ginger combination on gastropathy conditions in patients with osteoarthritis of the knee or hip.

Drozdov VN, Kim VA, Tkachenko EV, Varvanina GG.

Health Care Department, The Central Gastroenterology Scientific Research Institute, Moscow, Russia.

Evaluation of the Effect of Hydroalcoholic Extract of *Zingiber officinale* Rhizomes in Rat Collagen-induced Arthritis

Abdel-Motaal M. Fouda¹,

Mohamed Y. Berika²

Article first published online: 20 JAN 2009

DOI: 10.1111/j.1742-7843.2008.00363.x

Ginger (*Zingiber officinale*) in rheumatism and musculoskeletal disorders K.C. Srivastava[■], *, T. Mustafa[†]

^a Department of Environmental Medicine, Institute of Community Health, Odense University, Winsløwparken 17, DK-5000 Odense M, Denmark

^b Institute of Biology, Odense University, Campusvej 55, DK-5230 Odense M, Denmark

Ginger (*Zingiber officinale*) and rheumatic disorders K.C. Srivastava*, T. Mustafa[†]

^a Department of Environmental Medicine, Institute of Community Health, Odense University, J. B. Winsløws Vej 19, DK-5000 Odense C, Denmark

^b Institute of Biology, Odense University, Campusvej 55, DK-5230 Odense M, Denmark

Journal of Medicinal Food - Effects of Ginger (*Zingiber officinale* Rosc.) on Decreasing the Production of Inflammatory Mediators in Sow Osteoarthrotic Cartilage Explants

To cite this article: Chwan-Li Shen, Kee-Jong Hong, and Sung Woo Kim. *Journal of Medicinal Food*. December 2003, 6(4): 323-328. doi:10.1089/109662003772519877.

Effects of a ginger extract on knee pain in patients with osteoarthritis R. D. Altman¹, K. C. Marcussen^{2,*}
Article first published online: 7 NOV 2001

DOI: 10.1002/1529-0131(200111)44:11<2531::AID-ART433>3.0.CO;2-J

RESEARCH LETTER Year : 2006 | Volume : 38 | Issue : 1 | Page : 58-59

Antiinflammatory and antinociceptive activities of zingiber officinale roscoe essential oil in experimental animal models

A Vendruscolo, I Takaki, LE Bersani-Amado, JA Dantas, CA Bersani-Amado, R K.N Cuman

Department of Pharmacy and Pharmacology, University of Maringá, 87020-900, Maringa, PR, Brazil

Mol Vis. 2010 Aug 10;16:1525-37. - Antiglycating potential of *Zingiber officinalis* and delay of diabetic cataract in rats. Saraswat M, Suryanarayana P, Reddy PY, Patil MA, Balakrishna N, Reddy GB.

Biochemistry Division, National Institute of Nutrition, Hyderabad, India

Analgesic, antiinflammatory and hypoglycaemic effects of ethanol extract of *Zingiber officinale* (roscoe) rhizomes (zingiberaceae) in mice and rats - John A. O. Ojewole* Article first published online: 28 JUN 2006

Bioresour Technol. 2010 Jun;101(12):4676-89. Epub 2010 Feb 25.

Phenolic compounds, antioxidant activity and in vitro inhibitory potential against key enzymes relevant for hyperglycemia and hypertension of commonly used medicinal plants, herbs and spices in Latin America.

Ranilla LG, Kwon YI, Apostolidis E, Shetty K.

Escuela de Alimentos, Facultad de Recursos Naturales, Pontificia Universidad Católica de Valparaíso, Avenida Waddington 716, Playa Ancha, Valparaíso, Chile.

Food Chem Toxicol. 2007 May;45(5):683-90. Epub 2006 Nov 12.

Cancer preventive properties of ginger: a brief review.

Shukla Y, Singh M.

Environmental Carcinogenesis Division, Industrial Toxicology Research Centre, P.O. Box 80, M.G. Marg, Lucknow 226 001, Uttar Pradesh, India

Ann N Y Acad Sci. 2005 Nov;1056:206-17. - Curcumin: getting back to the roots.

Shishodia S, Sethi G, Aggarwal BB.

Cytokine Research Laboratory, Department of Experimental Therapeutics, The University of Texas M. D. Anderson Cancer Center, 1515 Holcombe Boulevard, Houston, TX 77030, USA.

USOS TRADICIONALES:

Curcuma longa

- Artritis
- Osteoartritis - Artrosis
- Reumatismo
- Cáncer
- Gastritis
- Protector Hepático

Zingiber officinalis

- Reumatismo
- Anti inflamatorio
- Anti espasmodico
- Calmante
- Mareos

All information is for informational purposes only, and not intended to diagnose, treat, cure, mitigate, or prevent any disease. No statements have been evaluated by the FDA. We always suggest talking to your physician concerning any questions you may have about supplement/drug interactions.

Extended Disclaimer [Click Here](#)

NutritHealers